

Aoca

Classic look meets latest LED technology.

LED


The Aoca pendant luminaire perfectly integrates into all kinds of high ceiling spaces with a classic cylindrical look. The suspension allows the luminaire to be mounted at different heights. It creates a totally homogeneous light and the vertical mounting allows a perfect dissipation of heat. As a result this permits the application of high performance LED's with sufficient output for large spaces.



The Aoca pendant is a very versatile luminaire; mono white, tunable white, RGB colour change and dimmable options are available. In addition a variant with a separately switched down light can be supplied, maximising flexibility and allowing a space to be tuned to the correct ambience. It is supplied pre wired with integral power built into the ceiling mounting.

Two sizes are available – 640mm and 1600mm (Aoca L).

Dimensions:




Aoca Product Specification data : AOCA-P-BA LED 840 / L=1.5m

Product code:	SP5003214
Power:	4x10 watts 9.6watts per metre
Cri:	85+
Kelvin:	Mono white light 3000k, 4000k, RGB to order
Lumens:	7900Lm
Lumens per watt:	106
IP rating / IK rating:	IP20 / 07
Diffuser :	Opal Acrylglass PMMA
Body :	Aluminium
Finish :	Any RAL
Control :	Dali Dimmable
Power supply :	220-240v 50-60 Hz

Spectral Aoca L

Dimensions:




Aoca Product Specification data :

Power:	circa 110watts
Cri:	85+
Kelvin:	Mono white light 3000k, 4000k, RGB to order
Lumens:	7800Lm
Lumens per watt:	106
IP rating / IK rating:	IP20 / 07
Diffuser :	Opal Acrylglass PMMA
Body :	Aluminium
Finish :	Any RAL
Control :	Dali Dimmable
Power supply :	220-240v 50-60 Hz

Spectral Aoca L Tunable white

Dimensions:




Aoca Product Specification data :

Power:	Cir. 110watts
Cri:	85+
Kelvin:	Mono white light 3000k, 4000k, RGB to order
Lumens:	8320Lm
Lumens per watt:	110
IP rating / IK rating:	IP20 / 07
Diffuser :	Opal Acrylglass PMMA
Body :	Aluminium
Finish :	Any RAL
Control :	Dali Dimmable
Power supply :	220-240v 50-60 Hz mounted in rose

Spectral Aoca : LED downlighter variant



Dimensions:




Flood or Spot. 840 or 830 available..

Aoca LED DOWNLIGHTER Product Specification data (NOTE: PABLO DOWNLIGHTER data ONLY) :

Power:	39watts (downlight only)
Cri:	85+
Kelvin:	Mono white light 3000k, 4000k,
Lumens:	2700Lm
Lumens per watt:	70Lm / w
IP rating :	IP20
Diffuser :	Opal Acrylglass PMMA
Body :	Aluminium
Finish :	Any RAL
Control :	Dali Dimmable
Power supply :	220-240v 50-60 Hz

Spectral Aoca L Tunable white with downlight

Dimensions:



Flood or Spot. 840 or 830 available..

Aoca LED DOWNLIGHTER Product Specification data

(NOTE: PABLO DOWNLIGHTER data ONLY) :

Power:	39watts (downlight only)
Cri:	85+
Kelvin:	Mono white light 3000k, 4000k,
Lumens:	2700Lm
Lumens per watt:	70Lm / w
IP rating :	IP20
Diffuser :	Opal Acrylglass PMMA
Body :	Aluminium
Finish :	Any RAL
Control :	Dali Dimmable
Power supply :	220-240v 50-60 Hz

